

BLANK PAGE



AMENDMENT NO. 1 SEPTEMBER 1999 TO

IS 6455: 1972 SPECIFICATION FOR SINGLE ROW RADIAL BALL BEARINGS

(Page 1, clause 1) — Insert the following new clause after 1 and renumber the subsequent clauses:

2 REFERENCES

The following Indian Standards contain provisions which through reference in this text, constitute provision of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

IS/ISO No.	Title
IS 2398 : 1967	Identification code for rolling bearings
IS 2399 : 1988/ ISO 5593 : 1984	Rolling bearings — Vocabulary (first revision)
IS 5669 : 1987/ ISO 15 : 1981	General plan of boundary dimensions for radial rolling bearings (first revision)
IS 5692 : 1988	Tolerance for radial rolling bearings (first revision)
IS 5935 : 1992	Radial internal clearance in unloaded radial rolling bearings (first revision)
IS 6453 : 1984	Technical supply conditions for rolling bearings (first revision)

[Page 1, clause 2 (renumbered 3)] — Substitute 'IS 2399' for 'IS 2399: 1964 Glossary of terms relating to rolling bearings'.

[Page 1, clause 3.1 (renumbered 4.1)] — Substitute 'IS 2398' for 'IS 2398 : 1967 Identification code for rolling bearings'.

[Page 1, clause 4 (renumbered 5)] — Substitute 'IS 2398' for 'IS 2398: 1967'.

Amend No. 1 to IS 6455: 1972

[Page 1, clause 5.1 (renumbered 6.1)] — Substitute 'IS 5669' for 'IS 5669 : 1970 General plan of boundary dimensions for radial rolling bearings'.

[Page 1, clause 5.2 (renumbered 6.2)] — Substitute 'IS 5692' for 'IS 5692 : 1970 Tolerance for radial rolling bearings'.

[Page 1, clause 5.3 (renumbered 6.3)] — Substitute 'IS 5935' for 'IS 5935 : 1970 Radial internal clearances in unloaded radial rolling bearings'.

[Page 1, clause 6 (renumbered 7)] — Substitute 'IS 6453' for 'IS 6453: 1972 Technical supply conditions for rolling bearings'.

(LMD 12)

Indian Standard

SPECIFICATION FOR SINGLE ROW RADIAL BALL BEARINGS

- 1. Scope Requirements for single row radial ball bearings.
- 2. Terminology As given in IS: 2399-1964 'Glossary of terms relating to rolling bearings'.

3. Types

- a) Radial contact;
- b) Angular contact; and
- c) Radial cantact, spherical outside surface.
- 3.1 Variation in the above types shall conform to IS: 2398-1967 'Identification code for rolling bearings'.
- 4. **Symbols** Conforming to IS: 2398-1967.

5. Dimensions and Tolerances

- **5.1** Boundary Dimensions Dimension series for single row radial ball bearings shall conform to the series 00, 02, 03, 04, 18, 19 and 10 of IS: 5669-1970 'General plan of boundary dimensions for radial rolling bearings'.
- **5.2** Tolerances Tolerances on the boundary dimensions shall conform to IS: 5692-1970 'Tolerances for radial rolling bearings'.
- **5.3** Radial Clearances Shall conform to IS: 5935-1970 'Radial internal clearances in unloaded radial rolling bearings'.
- **6. General Requirements** Other requirements for the bearings shall conform to IS: 6453-1972 'Technical supply conditions for rolling bearings'.

7. Designation — Typical examples:

SI No.	Order of Designating Symbols Description	Bore Dia of Bear- ing	Type*	Width and Outside Dia Series (Dimen- sions Series)	Supplementary Code (if Required for any Modifi- cation of Design)	Number of This Standard	Toler- ance Class:	Radial Clear- ance Group§	Complete Designation
1)	Single row radial ball bear-	000	^^^	00					
	ing 50 mm bore dia; non- filling slot assembly; dimension series 02; tole- rance class normal; radial clearance group normal	50	ВС	02	-	IS : 6455	~	-	50 BC 02 IS : 6455
ii)	Same bearing as SI No. (i) but with tolerance class 6	50	вс	02	-	IS : 6455	P6	-	50 BC 02 IS : 6455 P6
III)	Same bearing as SI No. (i) but with radial clear- ance group 2	50	вс	05	_	IS : 6455	_	C2	50 BC 02 1S : 6455 C2
IV)	Same bearing as SI No. (i) but with tolerance class 6 and radial clearance group 2	50	вс	02	-	IS : 6455	P6	C2	50 BC 01 IS:6455 P6 C2
v)	Bearing of SI No. (iv) but with any type of cage, one shield permanently fastened and a pair of ball bearings modified for duplex mounting faceto-face	50	вс	02	XPU	IS: 6455	P6	C2	50 BC 02 XPU IS: 6455 P6

^{*}In accordance with 3.3.1 of IS: 2398-1967.

Adopted 3 February 1972

C August 1972, BIS

Gr 1

[†]In accordance with 3.4 of IS: 2398-1967.

[‡]in accordance with 5.2.

[§]In accordance with 5.3.